

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claims 1-5 (canceled).

Claim 6 (withdrawn) A process for fabricating a composite device of the laminate type having a laminate structure of a first ceramic layer and a second ceramic layer, each of the ceramic layers having one or a plurality of circuit element patterns formed on a surface thereof to provide an electronic circuit for performing a predetermined function, the process having the steps of;

preparing one or more first green sheets for making a first ceramic portion, said one or more first green sheets comprising a dielectric material,

preparing one or more second green sheets for making a second ceramic portion, comprising

preparing material sheets by using the dielectric material,

forming a photoresist film on the surface of the material sheet prepared in the preparing step,

providing on the photoresist film a plurality of through holes approximately uniformly distributed by the photolithography method,

superposing magnetic material on the material sheet covering the photoresist film, and
removing the photoresist film,
forming one or more circuit element patterns on a surface of each of said one or more first
green sheets and on each of one or more second green sheets,
preparing a laminate comprising superposing said one or more first green sheets and said
one or more second green sheets, and
firing the laminate to produce said composite laminate device.

Claim 7 (withdrawn) A process for fabricating a composite device of the laminate type
having a laminate structure of a first ceramic layer and a second ceramic layer, each of the
ceramic layers having one or a plurality of circuit element patterns formed on a surface thereof to
provide an electronic circuit for performing a predetermined function, the process having the
steps of;

preparing first green sheets for making first ceramic layers and second green sheets for
making second ceramic layers,

forming one or a plurality of circuit element patterns on a surface of each of a required
number of the first green sheets and a required number of the second green sheets,

preparing a laminate comprising a plurality of layers by superposing the first green sheets
and the second green sheets each having the circuit element pattern or patterns formed thereon,
and

firing the laminate,

the first green sheet being prepared by using dielectric material in the sheet preparing steps, the second green sheet preparing steps having:

preparing material sheets by using the dielectric material,

providing on each of the material sheets a screen having a plurality of through holes approximately uniformly distributed, and printing magnetic material on a surface of each of material sheets through the screen, and

removing the screen from the material sheet.

Claim 8 (withdrawn) A process for fabricating a composite device of the laminate type having a laminate structure of a first ceramic layer and a second ceramic layer, each of the ceramic layers having one or a plurality of circuit element patterns formed on a surface thereof to provide an electronic circuit for performing a predetermined function, the process having the steps of;

preparing first green sheets for making first ceramic layers and second green sheets for making second ceramic layers,

forming one or a plurality of circuit element patterns on a surface of each of a required number of the first green sheets and a required number of the second green sheets,

preparing a laminate comprising a plurality of layers by superposing the first green sheets and the second green sheets each having the circuit element pattern or patterns formed thereon,

and

firing the laminate,

the first green sheet being prepared by using dielectric material in the sheet preparing steps, the second green sheet preparing steps having:

preparing a slurry made from dielectric material,

mixing the slurry with a plurality of strips made from the magnetic material to obtain a slurry mixture,

forming the slurry mixture into a strip,

drying the obtained slurry mixture of a strip.

Claim 9 (currently amended) A laminate device for use in electronic devices, comprising:

a first ceramic portion comprising:

one or more first ceramic layers, and ~~each of said first layers comprising:~~

~~a first material, and~~

one or more circuit element patterns formed on a surface of said first ceramic layer, each of said first ceramic layers comprising a dielectric material; and

a second ceramic portion ~~provided on said first ceramic portion, said second ceramic portion~~ comprising:

one or more second ceramic layers, and ~~each of said second layers comprising~~

~~said first material,~~

~~a plurality of strip portions formed of a second material uniformly dispersed within said first material or uniformly distributed on a surface of said first material, and~~

one or more circuit element patterns formed on a surface of said second ceramic layer,
each of said second ceramic layers comprising:

said dielectric material, and

a plurality of particle portions formed of a magnetic material approximately uniformly dispersed within said second ceramic layer or approximately uniformly distributed on a surface of said second ceramic layer,

wherein said one or more circuit element patterns provide an electronic circuit for performing a predetermined function, and said first ceramic portion is provided on said second ceramic portion to produce said laminate device,

wherein one of said first ceramic layers of said first ceramic portion and one of said second ceramic layers of said second ceramic portion are directly stacked on each other,

wherein at least one of said circuit element patterns formed on said surface of said first ceramic layer is a capacitor pattern, and at least one of said circuit element patterns formed on said surface of said second ceramic layer is an inductance pattern.

Claim 10 (canceled).

Claim 11 (currently amended) The laminate device according to claim 9, wherein said ~~strip~~ particle portions are approximately uniformly distributed on said surface of said ~~first~~ dielectric material.

Claim 12 (currently amended) The laminate device according to claim ~~[[10]]~~ 9, wherein said ~~particle~~ strip portions include magnetic particles approximately uniformly distributed in said ~~first~~ dielectric material.

Claim 13 (canceled).